


1921/18

Spuntia sobusta Would. This. 165.
Hore sol Musican sub now, 360. Probusta Mexis raule erut patito, 2/2 alto glaccies reas, certifuli 10-11" long, 7-8" lati ovati sen obovati, plani non taberrulati, arcolae remotre Momento brevissimo fusco et setis vix ulles stipatae; coulei in jun'oribus 1-3 albidis basi flavri sen fæstati, in senertis 6-12 vinereis 1-1/2 longis fromtig ser, deflex is Offerfor, 165 des sibes the opening siacila only with namower joint, & 10"by & 4-5" wide; spily 8-12






Sept 1861

Opuntie sonicea Don Mij 155. e Chili Host bot misson so non 52.0. sericea erecto palla 2 pedlis, ativilis ovatis 3-5"long, 2-3 lat. ony, attilis approximatis, setis onfis dongistis densissime 5 stipatis, vetustis setis dense pulvinatis, arabeis binis albidis " goulei 3-5" validi stramines albidi" 4-8 lui long," Per.

" floors maximi (4 poll) int. Pollen p. 237






Opintia franche Host bet missour. de nom. 61 0: stricta erecto - patula I peda artirulis obovato oblovagis subsinermibus, pellide visidiby 6-8" long 3-5" lat: Shorter to berralatio areolae remotee

Seshaps O. Tirus Jadira? fell of green pris, entirely like that Ofif. 151. : ashir. subpedle, 3-5 Cat. - selve numerosisis now piliform, and mall. - Salan by planes it with Geouman nost to elats.






Ent upof

Ommtea sulphurea Gill. Offerf. p. 144 Chile Had Bol Missour. so non 30. 0. sagheren" ex Hold Dyck Amilis (vippedelis) attelli endt vinides 3-5 longi 22-3 lette 1 vasse tuberulet læte vivides, arcola subroufertie setes busonous deida; stipatae, accelers (albin 3-4) aprice purpurantes compressis (armatae) 1-1/2 Congés) This is undownstably the plant, but Reifers description makes the prints only 2 inches long at 1/2 " Wride. Debuning britzspiens nia buach,



MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS






Desterno 1867

El laso Smitter temuispian lagden. Cat DD., 50 Afril for Musion. Date nom. O. Fenerispien It probable is corrully named and comes from my old rollection; I had mind it from Eller breitspatule 1/2 pedeles, ærlindt obordi b poll log 4 lat, sucheste lute vivides; anobe confertue, seles fasois elongales penintelation collection promite fere omnes armates arules 3-5 gravilet albidis bas fæsto-nefis 1-2 Congri be Bot Cound at pag 50. aveler upenon Tetarer donget dependente, Bound Cartifiso Jugs: and 1-2, 1-3 poll longs




MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS




MISSOURI BOTANICAL GARDEN.

Sept. 1869


Muntia triarauther DC. Off. 163 Anua Calid Host. bot Missour ex Host Salue, collect. nov. 41. Creeta 2 pedalis, artivuli viriles outi 5-6 long 3-4 lats arcolne sub router ferre omnes avuleidence, folia mint, sebelet, mbella, selve sebnellee) arle 3-5. noviller pullede shammer, mog rivers' volentrisses






Left 1867

Spiritie oligaranthe Host Brist. Saluspil 241. Mex. His bot Missour me nom. 51. O. Rigaranthe ox Holdyck erute 4-5 perlis, astirli 6-10 long. Sig let sobstitette gle ristutarcolee sabronferte, panne oblongres Stoo near spineifera, to what Offing. 187 refers it, Sale thing it deliuit, he days jount 4-5" Dan II. + vix tomertisse non selvice; avulle: 1-3 deflex, 1/4-1/2 longji alli setofornes, folia brivia






Ept 1867

Spuntig spinull fera skelen p. 241 Host Bot Musson sit nom 50. sprinnligen ereite 2/23 alla, pellise virisi, artirli obovite d'en 5 let. pulvilli conferti aveolae vix tomentorne ut setorne parvae aouler albis gmoiles l'pollerans posseites, 1-3 selecci pawouli leflez, jolia gravilia? Juling descript. agrees well enough with this speciae.




MISSOURI BOTANICAL GARDEN.

GEORGE ENGELMANN PAPERS




MISSOURI BOTANICAL GARDEN. Opnutie ellata, Hors Denvl. Iffif. 152 Auch. mend. Hot bot hussom one nom., 60. O. elata" entités- pudel; penviridi inermis, s. aralei, 1/2 élongatis albidi, basi fusration (1/2- 27 long) Compression a recolin orbir latin majusvilles Distantibus - astiruli, oblancestates messig pedelibus, 5 letti ginemis s. earleris solitaries intructe "Priff. 4.152 fartis. 10" x 4-5" Some joints without any of with few spines. others has almost all the anoles armed.

				3K
0 1 2	3 4	5 6 7	3 9 1	O MISSOURI POTANICAL
cm		copyrigh	it reserved	BOTANICAL GARDEN.



Ept 1861

Opinlig to mintogg Salen Theiff. 160 Host Bot Missoner, sob now, 55.0. tomentosa" breite 4-5 pedilis, ashirli Clongato oberati, 3-12 long, 3-4 lette dense pubercettes, vivides, Fubernelati, i strolae subronfertue parvae, selis minimis Monnineis Stiffelee, aculeo singulo ålbe 3 lei longe forreite selejomi som nulle. agnes will with Ofife, description, p. 160, but there are only one up 4-6 veak spines and not deflexed



MISSOURI BOTANICAL GARDEN.

GEORGE ENGELMANN PAPERS

